



SHREE CEMENT LTD.

Phone : EPABX 01462 228101-6
Toll Free : 1800 180 6003 / 6004
Fax : 01462 228117 / 228119
E-Mail : shreebwr@shreecementltd.com
Website : www.shreecementltd.com



Regd. Office & Works :

BANGUR NAGAR, POST BOX NO.33, BEAWAR 305 901, RAJASTHAN, INDIA
Shree Cement Ltd., Village Akabarpur Oud, Tehsil, Laksar, Distt. Haridwar (Uttarakhand)-247663
Phone: 01332-255810, 255811

SCL/RGU/ENV/EC/2016-17/

Date : 10/11/2016
Th : Courier

To,
The Member Secretary,
State Level Environment Impact Assessment Authority,
Post Office - Ajabpur Kala, Near PNB Bank,
Motherewala Road, Dehradun,
Uttarakhand.

Sub: - Regarding Half Yearly Compliance Report (**Apr-16 to Sep-16**) of the Environment Clearance for Clinker Grinding Unit of Shree cement ltd situated near Village Akabarpur Oud, Tehsil Laksar, Disst. Haridwar, Uttarakhand.

Ref: - Environmental Clearance letter no. SEIAA-EC-1/2009/35 Dated 8th June, 2009.

Dear Sir,

With reference to the above subject matter, we are submitting herewith point wise compliance report conditions of above environmental clearance for Clinker Grinding Unit of Shree Cement Ltd situated near Village Akabarpur Oud, Tehsil Laksar, Distt. Haridwar, Uttarakhand.

This is for your kind information please.

Thanking you,
Yours faithfully,

For Shree Cement Ltd., Laksar
For Shree Cement Ltd., Laksar

(Kundan Singh) Authorised Signatory

(Unit In-Charge)

Encl.: EC Compliance Report from **Apr-16 to Sep-16**

Copy to:-

1. The Director (Industry), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110 003 (India).
2. The Director, IA Division, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110 003 (India).
3. Dr. P.B. Rastogi, Director (Monitoring Cell), Ministry Of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110 003 (India).
4. The Director, Ministry of Environment & Forest, Regional Office (Central Region), Kendriya Bhawan, 5th Floor Sector 'H' ALIGANJ, LUCKNOW (U.P.), Pin-226024.
5. Zonal Officer, Central Pollution Control Board, Zonal Office (Central), Ground Floor, PICUP Bhawan, Vibhuti Khand, Gomati Nagar, LUCKNOW (U.P.)-266010
6. Dr. S.C. Katiyar, Government of India, Ministry of Environment, Forest & Climate Change, North central Regional Office, Pearson Road, FRI Campus, P.O. New Forest, Dehradun - 248006
7. The Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, 29/20 Nemi Road, Dalanwala, Dehradun, (Uttarakhand).

JAIPUR OFFICE : A-6, Yudhishter Marg, Opp. Yojana Bhawan, C-Scheme, Jaipur 302 005

Phone : 0141 2362340, 2223917, 2223918 Fax 0141 2224841

NEW DELHI OFFICE : 122-123, Hans Bhawan, 1, Bahadurshah Zafar Marg, New Delhi 110 002

Phone : 011 23370828, 23379218, 23370776, Fax : 011 23370499

CORP. OFFICE : 21, Strand Road, Kolkata 700 001 Phone : 033 22309601-5 Fax : 033 22434226

SHREE CEMENT LIMITED

Village- AkabarpurOud, Tehsil -Laksar, Distt.Haridwar, (Uttarakhand)-247663

Name of the Project : **Compliance Status of Environment Clearance**
Clearance Letter No. : **SEIAA-EC-1/2009/35 Dated 8th June, 2009**
Period of Compliance Report : **Apr-16 to Sep-16**

Specific Conditions		
Sr. No.	Conditions	Compliance Status
i	The particulate matter emissions from various sources shall not exceed 50 mg/Nm ³ . The fugitive emissions during loading and unloading shall be suitably controlled. Bag house/ filters shall be provided to control air emissions to achieve the prescribed standards.	Bag house has been installed at the stack of cement mill to control the particulate matter emissions. PM emission level is well within 50 mg/Nm ³ . Bag filters have been provided at various material transfer points&loading/unloading points to control the fugitive emissions.
ii	The locations of ambient air monitoring stations shall be set up as per statutory requirement in consultation with the Uttarakhand Environment Protection & Pollution Control Board and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated. The findings of the air quality monitoring shall be displayed in display board at appropriate locations.	The locations for ambient air monitoring have been set up in consultation with the Uttarakhand Environment Protection & Pollution Control Board and data of air quality monitoring are being displayed at factory main gate.
iii	The company shall obtain permission for drawl of 150m ³ /day ground water from the Central Ground Water Authority/ Central Ground Water Board and copy of the same shall be submitted to the State Level Environment Impact Assessment Authority and Uttarakhand Environment Protection and Pollution Control Board within three months from date of issue of this letter.	We have obtained permission for drawl of 150m ³ /day ground water from the Central Ground Water Authority their vide letter No. Letter No. 21-4(24)/UR/CGWA/2009-1300 dated 12 th Aug-2015 valid for three years. Acopy of the same has been submitted to the State Level Environment Impact Assessment Authority and Uttarakhand Environment Protection and Pollution Control Board.
iv	Green belt shall be developed at least in 33% of plant area to mitigate the effect of fugitive emissions all around the plant as per the guidelines of Central Pollution Control Board.	Green belt development is ongoing process. Total plant area is 109600 meter ² out of which plantation has been completed in 38.5% area with 8020 nos. of plants. In this period, total 550 nos. trees planted out of which 460 nos. had survived.
v	The project authorities shall transport the raw materials and cement in covered means to avoid fugitive emission during transport, with arrangement of dust collector at all the material transportation points.	Raw materials & cement are being transported by covered conveyor belts/ air slides& dust collectors are provided at various material transfer points to control the fugitive emission.

vi	All the roads shall be concreted and vacuum swepted and concerned conveyor belt shall be provided for handling of material.	All roads & truck parking area are concreted and vacuum sweeping machine are used on regular basis. Covered conveyor belts are provided for handling of material.
vii	All the recommendations mentioned in the CREP guideline for the cement plants shall be followed and complied, and compliance report shall be forwarded to State Level Environment Impact Assessment Authority and State Board.	All CREP conditions are complied and followed. Compliance report submitted to the State Level Environment Impact Assessment Authority and State Board.
viii	This Clearance is valid only for clinker grinding; the unit will not install any cement kiln.	Yes, this clearance is valid only for clinker grinding & we will not install any cement kiln.

GENERAL CONDITIONS

Sr. No.	Conditions	Compliance Status																											
i	The project authorities shall strictly adhere to the stipulations of the SPCB/state government or any statutory body.	Yes, we are complying with all the stipulations made by the UEPPCB, CGWA & state government or any statutory body.																											
ii	All other necessary statutory clearance from the concerned Departments including No Objection Certificates from the Uttarakhand Pollution Control Board (Uttarakhand PCB) shall be obtained prior to commencement of construction and/ or operation.	We have obtained consent to operate from Uttarakhand PCB prior the plant operation vide board's consent no. 36509/767 and HW Authorization no. 767 vide letter no. UEPPCB/HO/Con-S/191/2016/1196 dated 29/09/2016.																											
iii	No further expansion or modifications in the plant shall be carried out without prior approval of the competent authority. In case of deviations or alterations in the project proposal from those submitted to this competent authority for clearance, a fresh reference shall be made to the authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Yes, for further expansion or modification we shall take prior approval from the concerned authority.																											
iv	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	<p>Stack emission level is well within the prescribed limit of 50 mg/Nm³. Bag house is attached with cement mill which is always in operation with cement mill. Online monitoring system is provided with cement mill bag house. Data of stack emissions is given below:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: center;">Stack Emission Level</th> </tr> <tr> <th colspan="3" style="text-align: center;">Location : Cement Mill Bag House Stack; Limit – 50 (mg/Nm³)</th> </tr> <tr> <th style="text-align: center;">S. No.</th> <th style="text-align: center;">Month</th> <th style="text-align: center;">PM(mg/Nm³)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Apr-16</td> <td style="text-align: center;">22</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">May-16</td> <td style="text-align: center;">20</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">Jun-16</td> <td style="text-align: center;">22</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">Jul-16</td> <td style="text-align: center;">19</td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">Aug-16</td> <td style="text-align: center;">23</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">Sep-16</td> <td style="text-align: center;">20</td> </tr> </tbody> </table>	Stack Emission Level			Location : Cement Mill Bag House Stack; Limit – 50 (mg/Nm³)			S. No.	Month	PM(mg/Nm³)	1	Apr-16	22	2	May-16	20	3	Jun-16	22	4	Jul-16	19	5	Aug-16	23	6	Sep-16	20
Stack Emission Level																													
Location : Cement Mill Bag House Stack; Limit – 50 (mg/Nm³)																													
S. No.	Month	PM(mg/Nm³)																											
1	Apr-16	22																											
2	May-16	20																											
3	Jun-16	22																											
4	Jul-16	19																											
5	Aug-16	23																											
6	Sep-16	20																											

<p>v</p>	<p>The gaseous emissions (SO₂, NO_x) and particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time and values obtained shall be displayed in display board.</p>	<p>Ambient air quality is monitored according to prescribed standards of board and values are being displayed at the factory main gate. Data of Ambient Air Quality Monitoring is given below:</p> <table border="1" data-bbox="1018 224 1990 636"> <thead> <tr> <th colspan="9">Ambient Air Quality at Plant Boundary in µg/m³</th> </tr> <tr> <th>Location</th> <th colspan="4">Near Main Gate Area</th> <th colspan="4">Near CCR Building Area</th> </tr> <tr> <th>Parameters</th> <th>PM10</th> <th>PM2.5</th> <th>SO₂</th> <th>NO_x</th> <th>PM10</th> <th>PM2.5</th> <th>SO₂</th> <th>NO_x</th> </tr> </thead> <tbody> <tr> <td>Annual Limits→ Month↓</td> <td>60</td> <td>40</td> <td>50</td> <td>40</td> <td>60</td> <td>40</td> <td>50</td> <td>40</td> </tr> <tr> <td>Apr-16</td> <td>47</td> <td>32</td> <td>9.4</td> <td>9.2</td> <td>43</td> <td>30</td> <td>9.2</td> <td>9.0</td> </tr> <tr> <td>May-16</td> <td>44</td> <td>31</td> <td>8.7</td> <td>8.8</td> <td>47</td> <td>33</td> <td>9.0</td> <td>9.3</td> </tr> <tr> <td>Jun-16</td> <td>46</td> <td>33</td> <td>9.1</td> <td>8.9</td> <td>41</td> <td>30</td> <td>9.6</td> <td>9.4</td> </tr> <tr> <td>Jul-16</td> <td>48</td> <td>34</td> <td>8.6</td> <td>8.8</td> <td>44</td> <td>32</td> <td>9.1</td> <td>9.2</td> </tr> <tr> <td>Aug-16</td> <td>44</td> <td>31</td> <td>9.0</td> <td>9.5</td> <td>40</td> <td>28</td> <td>8.8</td> <td>8.9</td> </tr> <tr> <td>Sep-16</td> <td>52</td> <td>31</td> <td>9.5</td> <td>9.6</td> <td>48</td> <td>30</td> <td>9.1</td> <td>9.3</td> </tr> </tbody> </table>	Ambient Air Quality at Plant Boundary in µg/m ³									Location	Near Main Gate Area				Near CCR Building Area				Parameters	PM10	PM2.5	SO ₂	NO _x	PM10	PM2.5	SO ₂	NO _x	Annual Limits→ Month↓	60	40	50	40	60	40	50	40	Apr-16	47	32	9.4	9.2	43	30	9.2	9.0	May-16	44	31	8.7	8.8	47	33	9.0	9.3	Jun-16	46	33	9.1	8.9	41	30	9.6	9.4	Jul-16	48	34	8.6	8.8	44	32	9.1	9.2	Aug-16	44	31	9.0	9.5	40	28	8.8	8.9	Sep-16	52	31	9.5	9.6	48	30	9.1	9.3
Ambient Air Quality at Plant Boundary in µg/m ³																																																																																												
Location	Near Main Gate Area				Near CCR Building Area																																																																																							
Parameters	PM10	PM2.5	SO ₂	NO _x	PM10	PM2.5	SO ₂	NO _x																																																																																				
Annual Limits→ Month↓	60	40	50	40	60	40	50	40																																																																																				
Apr-16	47	32	9.4	9.2	43	30	9.2	9.0																																																																																				
May-16	44	31	8.7	8.8	47	33	9.0	9.3																																																																																				
Jun-16	46	33	9.1	8.9	41	30	9.6	9.4																																																																																				
Jul-16	48	34	8.6	8.8	44	32	9.1	9.2																																																																																				
Aug-16	44	31	9.0	9.5	40	28	8.8	8.9																																																																																				
Sep-16	52	31	9.5	9.6	48	30	9.1	9.3																																																																																				
<p>vi</p>	<p>The company shall undertake following Waste Minimization measures.</p> <ul style="list-style-type: none"> • Reuse of by-products from the process as raw materials or as raw materials substitutes in other processes. • Use of Closed pneumatic system for transport of fine materials. • All Venting systems shall be connected with dust arresting equipment. • Dust collect in pollution control equipment shall be reused. 	<p>There is no solid waste generation from the plant process. Dust collected in bag filters/ bag house is being recycled back into the system.</p>																																																																																										
<p>vii</p>	<p>Fugitive emissions in the work zone environment, product and raw materials storage area shall be regularly monitored. The emissions shall conform to the limits imposed by the State Pollution Control Boards/ Central Pollution Control Board.</p>	<p>Fugitive emissions are being monitored & maintained according to prescribed guideline of CPCB. Data of fugitive emission monitoring is given below:</p> <table border="1" data-bbox="1018 1128 1990 1464"> <thead> <tr> <th colspan="8">Fugitive Emission Monitoring : all values in µg/m³ (Limits:5000 µg/m³)</th> </tr> <tr> <th>Month→ Location↓</th> <th>Apr</th> <th>May</th> <th>Jun</th> <th>Jul</th> <th>Aug</th> <th>Sep</th> <th></th> </tr> </thead> <tbody> <tr> <td>Raw Material Handling Area</td> <td>3216</td> <td>3320</td> <td>3516</td> <td>3167</td> <td>2758</td> <td>2963</td> <td></td> </tr> <tr> <td>Cement Mill Area</td> <td>3534</td> <td>3682</td> <td>3748</td> <td>3317</td> <td>3094</td> <td>3343</td> <td></td> </tr> <tr> <td>Packing Plant Area</td> <td>3605</td> <td>3739</td> <td>4014</td> <td>3574</td> <td>3399</td> <td>3739</td> <td></td> </tr> </tbody> </table>	Fugitive Emission Monitoring : all values in µg/m ³ (Limits:5000 µg/m ³)								Month→ Location↓	Apr	May	Jun	Jul	Aug	Sep		Raw Material Handling Area	3216	3320	3516	3167	2758	2963		Cement Mill Area	3534	3682	3748	3317	3094	3343		Packing Plant Area	3605	3739	4014	3574	3399	3739																																																			
Fugitive Emission Monitoring : all values in µg/m ³ (Limits:5000 µg/m ³)																																																																																												
Month→ Location↓	Apr	May	Jun	Jul	Aug	Sep																																																																																						
Raw Material Handling Area	3216	3320	3516	3167	2758	2963																																																																																						
Cement Mill Area	3534	3682	3748	3317	3094	3343																																																																																						
Packing Plant Area	3605	3739	4014	3574	3399	3739																																																																																						

<p>viii</p>	<p>The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).</p>	<p>We are maintaining overall noise level in and around the plant area well within the prescribed standards (85 dB (A)). The ambient noise levels are well within the standards prescribed under EPA Rules viz. 75 dB (A) (Day time) and 70 dB (A) (Night time.) Data of Noise Level Monitoring inside the factory premises, D.G. Set & at plant boundary is given below:</p> <table border="1" data-bbox="1020 324 1990 727"> <thead> <tr> <th colspan="6">Noise Level Inside the Premises :All values in dB (A)</th> </tr> <tr> <th colspan="6">Limits : Day Time – 75 dB (A); Night time – 70 dB (A)</th> </tr> <tr> <th colspan="6">Day time: 06:00 AM-10:00 PM & Night time: 10:00 PM to 06:00 AM</th> </tr> <tr> <th rowspan="2">S. N.</th> <th rowspan="2">Location → Month ↓</th> <th colspan="2">Near Main Gate Area</th> <th colspan="2">Near CCR Building Area</th> </tr> <tr> <th>Day Time</th> <th>Night Time</th> <th>Day Time</th> <th>Night Time</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Apr-16</td> <td>63.1</td> <td>56.2</td> <td>59.6</td> <td>52.7</td> </tr> <tr> <td>2.</td> <td>May-16</td> <td>62.6</td> <td>55.8</td> <td>60.7</td> <td>53.2</td> </tr> <tr> <td>3.</td> <td>Jun-16</td> <td>65.3</td> <td>58.2</td> <td>61.4</td> <td>56.7</td> </tr> <tr> <td>4.</td> <td>Jul-16</td> <td>66.2</td> <td>59.7</td> <td>63.3</td> <td>57.4</td> </tr> <tr> <td>5.</td> <td>Aug-16</td> <td>65.8</td> <td>58.4</td> <td>62.6</td> <td>56.1</td> </tr> <tr> <td>6.</td> <td>Sep-16</td> <td>66.1</td> <td>59.3</td> <td>63.4</td> <td>57.2</td> </tr> </tbody> </table> <table border="1" data-bbox="1020 760 1990 1162"> <thead> <tr> <th colspan="8">Noise Level Inside the Premises :All values in dB (A)</th> </tr> <tr> <th colspan="8">Limits : Work Zone - 85 dB (A) ; D.G. Set – 75 dB (A)</th> </tr> <tr> <th rowspan="2">S. N.</th> <th rowspan="2">Months→ Locations↓</th> <th>Apr</th> <th>May</th> <th>Jun</th> <th>Jul</th> <th>Aug</th> <th>Sep</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Cement Mill Area</td> <td>75.3</td> <td>74.5</td> <td>77.2</td> <td>73.8</td> <td>75.3</td> <td>74.3</td> </tr> <tr> <td>2.</td> <td>Packing Plant</td> <td>62.2</td> <td>63.1</td> <td>64.8</td> <td>60.5</td> <td>61.4</td> <td>60.5</td> </tr> <tr> <td>3.</td> <td>Compressor House</td> <td>76.1</td> <td>75.8</td> <td>76.5</td> <td>74.8</td> <td>74.1</td> <td>75.1</td> </tr> <tr> <td>4.</td> <td>Raw Material Handling Area</td> <td>65.7</td> <td>66.7</td> <td>64.1</td> <td>66.2</td> <td>67.8</td> <td>68.4</td> </tr> <tr> <td>5.</td> <td>Near Weigh Bridge</td> <td>59.5</td> <td>58.2</td> <td>59.4</td> <td>60.6</td> <td>62.6</td> <td>63.7</td> </tr> <tr> <td>6.</td> <td>Truck Parking Area</td> <td>60.1</td> <td>62.6</td> <td>60.7</td> <td>61.7</td> <td>62.3</td> <td>61.9</td> </tr> <tr> <td>7.</td> <td>D.G. Set Area</td> <td>68.2</td> <td>65.8</td> <td>67.1</td> <td>64.6</td> <td>66.8</td> <td>69.2</td> </tr> </tbody> </table>	Noise Level Inside the Premises :All values in dB (A)						Limits : Day Time – 75 dB (A); Night time – 70 dB (A)						Day time: 06:00 AM-10:00 PM & Night time: 10:00 PM to 06:00 AM						S. N.	Location → Month ↓	Near Main Gate Area		Near CCR Building Area		Day Time	Night Time	Day Time	Night Time	1.	Apr-16	63.1	56.2	59.6	52.7	2.	May-16	62.6	55.8	60.7	53.2	3.	Jun-16	65.3	58.2	61.4	56.7	4.	Jul-16	66.2	59.7	63.3	57.4	5.	Aug-16	65.8	58.4	62.6	56.1	6.	Sep-16	66.1	59.3	63.4	57.2	Noise Level Inside the Premises :All values in dB (A)								Limits : Work Zone - 85 dB (A) ; D.G. Set – 75 dB (A)								S. N.	Months→ Locations↓	Apr	May	Jun	Jul	Aug	Sep	1.	Cement Mill Area	75.3	74.5	77.2	73.8	75.3	74.3	2.	Packing Plant	62.2	63.1	64.8	60.5	61.4	60.5	3.	Compressor House	76.1	75.8	76.5	74.8	74.1	75.1	4.	Raw Material Handling Area	65.7	66.7	64.1	66.2	67.8	68.4	5.	Near Weigh Bridge	59.5	58.2	59.4	60.6	62.6	63.7	6.	Truck Parking Area	60.1	62.6	60.7	61.7	62.3	61.9	7.	D.G. Set Area	68.2	65.8	67.1	64.6	66.8	69.2
Noise Level Inside the Premises :All values in dB (A)																																																																																																																																																		
Limits : Day Time – 75 dB (A); Night time – 70 dB (A)																																																																																																																																																		
Day time: 06:00 AM-10:00 PM & Night time: 10:00 PM to 06:00 AM																																																																																																																																																		
S. N.	Location → Month ↓	Near Main Gate Area		Near CCR Building Area																																																																																																																																														
		Day Time	Night Time	Day Time	Night Time																																																																																																																																													
1.	Apr-16	63.1	56.2	59.6	52.7																																																																																																																																													
2.	May-16	62.6	55.8	60.7	53.2																																																																																																																																													
3.	Jun-16	65.3	58.2	61.4	56.7																																																																																																																																													
4.	Jul-16	66.2	59.7	63.3	57.4																																																																																																																																													
5.	Aug-16	65.8	58.4	62.6	56.1																																																																																																																																													
6.	Sep-16	66.1	59.3	63.4	57.2																																																																																																																																													
Noise Level Inside the Premises :All values in dB (A)																																																																																																																																																		
Limits : Work Zone - 85 dB (A) ; D.G. Set – 75 dB (A)																																																																																																																																																		
S. N.	Months→ Locations↓	Apr	May	Jun	Jul	Aug	Sep																																																																																																																																											
		1.	Cement Mill Area	75.3	74.5	77.2	73.8	75.3	74.3																																																																																																																																									
2.	Packing Plant	62.2	63.1	64.8	60.5	61.4	60.5																																																																																																																																											
3.	Compressor House	76.1	75.8	76.5	74.8	74.1	75.1																																																																																																																																											
4.	Raw Material Handling Area	65.7	66.7	64.1	66.2	67.8	68.4																																																																																																																																											
5.	Near Weigh Bridge	59.5	58.2	59.4	60.6	62.6	63.7																																																																																																																																											
6.	Truck Parking Area	60.1	62.6	60.7	61.7	62.3	61.9																																																																																																																																											
7.	D.G. Set Area	68.2	65.8	67.1	64.6	66.8	69.2																																																																																																																																											
<p>ix</p>	<p>The company shall develop rain water harvesting structures to harvest the runoff water for recharge of ground water.</p>	<p>Rain water harvesting structures have developed to harvest the runoff water of rooftop & concreted area for recharge of ground water. We having Rain Water Harvesting capacity is 81456 m³/annum.</p>																																																																																																																																																
<p>x</p>	<p>Occupational health and safety measures shall be undertaken. Periodic monitoring for exposure to dust on the workers should be conducted and records maintained including health records of the workers. The company shall engage a doctor who is trained in occupational health.</p>	<p>Personnel protective equipment have been provided to all the persons to avoid direct exposure to dust. Occupational health and safety measures are being undertaken and periodic monitoring is being conducted for monitor the dust exposure on the workers & records of the same are maintained as per factory's act including health records of the workers.</p>																																																																																																																																																

xi	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval followed by its implementation.	As per the eco developmental plan submitted to the SPCB vide our letter no. SCL/ENV/HARIDWAR/2009-10/11845 dated 21/6/2009; Green belt development is our ongoing process. Total plant area is 109600 meter ² out of which plantation has been done in 38.5 % with 8020 saplings. In this period, total 550 nos. trees planted out of which 460 nos. had survived. Financial assistance to the nearby villages for development of basic infrastructure such as education and medical facilities.																					
xii	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Yes, we have set up a separate environmental management cell with full fledged laboratory to carry out the various management and environment monitoring functions.																					
xiii	The project authorities shall earmark adequate fund to implement the conditions stipulated by the environment impact assessment authority as well as the state government. An implementation schedule for all the conditions stipulated herein shall be submitted to the authority. The funds so provided shall not be diverted for any other purpose.	<p>We have adequate funds to implement the conditions stipulated by the environment impact assessment authority as well as the state government. Expenditure from Apr-16 to Sep-16 is given as under:</p> <table border="1" data-bbox="1024 613 1990 883"> <thead> <tr> <th data-bbox="1024 613 1150 651">Sl. No.</th> <th data-bbox="1150 613 1728 651">Heads</th> <th data-bbox="1728 613 1990 651">Cost (In Lac)</th> </tr> </thead> <tbody> <tr> <td data-bbox="1024 651 1150 716">1</td> <td data-bbox="1150 651 1728 716">Environmental Monitoring & Compliances</td> <td data-bbox="1728 651 1990 716">1.78</td> </tr> <tr> <td data-bbox="1024 716 1150 748">2</td> <td data-bbox="1150 716 1728 748">Air Pollution Maintenance</td> <td data-bbox="1728 716 1990 748">7.56</td> </tr> <tr> <td data-bbox="1024 748 1150 781">3</td> <td data-bbox="1150 748 1728 781">Horticulture</td> <td data-bbox="1728 748 1990 781">2.63</td> </tr> <tr> <td data-bbox="1024 781 1150 813">4</td> <td data-bbox="1150 781 1728 813">Housekeeping and Civil Work</td> <td data-bbox="1728 781 1990 813">42.39</td> </tr> <tr> <td data-bbox="1024 813 1150 846">5</td> <td data-bbox="1150 813 1728 846">STP (Operation & Maintenance)</td> <td data-bbox="1728 813 1990 846">0.25</td> </tr> <tr> <td colspan="2" data-bbox="1024 846 1728 883" style="text-align: center;">Total</td> <td data-bbox="1728 846 1990 883" style="text-align: center;">54.61</td> </tr> </tbody> </table>	Sl. No.	Heads	Cost (In Lac)	1	Environmental Monitoring & Compliances	1.78	2	Air Pollution Maintenance	7.56	3	Horticulture	2.63	4	Housekeeping and Civil Work	42.39	5	STP (Operation & Maintenance)	0.25	Total		54.61
Sl. No.	Heads	Cost (In Lac)																					
1	Environmental Monitoring & Compliances	1.78																					
2	Air Pollution Maintenance	7.56																					
3	Horticulture	2.63																					
4	Housekeeping and Civil Work	42.39																					
5	STP (Operation & Maintenance)	0.25																					
Total		54.61																					
xiv	The implementation of the project vis-à-vis environmental action plans shall be monitored by the team of authority. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	We are extending full co-operation to the officials of the Regional Office during site visit. Submitting herewith the six monthly compliance status report of the implementation of stipulated environmental safeguards to State Level Environment Impact Assessment Authority, Ministry of Environment, Forests & Climate Change, its Regional Office, Lucknow, Central Pollution Control Board and State Pollution Control Board and also posted on the website of the Company.																					
xv	The project proponent shall inform the public that the project has been accorded environmental clearance by the authority and copies of the clearance letter are available with the SPCB may also be seen at Website of the State Board. This shall be advertised within seven days from the date of issue the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the SEIAA and State Board.	We had informed public that the project has been accorded the environmental clearance by the Ministry of Environment and Forest, Govt. of India by advertisement in three news papers namely 1. Badri Vishal, 2. DainikHak and 3. The Hawk dated 13/6/2009 and a copy of the same has been sent to the SEIAA and State Board vide our letter no. SCL/ENV/HARIDWAR/2009-10/11845 dated 21/6/2009.																					

xvi	The project authorities shall inform the authority as well as the SPCB, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Production started on 02/03/2010.
xvii	The authority may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	All the conditions of Environment Clearance are complied.
xviii	The authority reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner shall implement these conditions.	Yes, we shall comply with accordingly.
xix	This Environment clearance is valid for the period of five year from the date of issue of environment clearance or up to commissioning of the project whichever is earlier.	The plant had started on 02/03/2010.